

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version 1.1 (replaces version 1.0)

Revision: 04.07.2023

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking****1.1 Product identifier****Trade name: Ozaphan - FHB Microfilm Fixer****Article number:** 13870**UFI:** 9YN0-P05X-G001-7S6U**1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.**1.3 Application of the substance / the mixture**

Micrography

Use by commercial operations

Photographic chemicals

Photographic developer or fixer

Processing of microfilms

1.4 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

GENUS – Vertriebsbüro EU

Kurt-Schumacher-Ring 67

63329 Egelsbach

DEUTSCHLAND

Tel.: +49 6103 481897

E-Mail: clauspeteriff@genusit.com

Informing department:

Tel.: +49 (0)39291 42515

E-Mail: rs@calbe-chemie.de

1.5 Emergency telephone number:

Tel.: +49 (0) 700-24112112 (CAL)

Tel.: +1 872 5888271(CAL)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS05

Signal word Danger

(Contd. on page 2)

IRL

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version 1.1 (replaces version 1.0)

Revision: 04.07.2023

Trade name: Ozaphan - FHBF Microfilm Fixer



(Contd. of page 1)

- **Hazard-determining components of labelling:**
disodium disulphite
- **Hazard statements**
H318 Causes serious eye damage.
- **Precautionary statements**
P280 Wear eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- **Additional information:**
EUH031 Contact with acids liberates toxic gas.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

· **Dangerous components:**

CAS: 7681-57-4	disodium disulphite	≥ 3 - ≤ 5%
EINECS: 231-673-0	 Eye Dam. 1, H318  Acute Tox. 4, H302 EUH031	

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air.
- **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
The product is not skin irritating.
- **After eye contact**
Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No known symptoms to date.

(Contd. on page 3)

IRL

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version 1.1 (replaces version 1.0)

Revision: 04.07.2023

Trade name: Ozaphan - FHBF Microfilm Fixer

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water spray jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Can be released in case of fire
sulphur dioxide (SO₂)
Nitrogen oxides (NO_x)
- **5.3 Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
- **6.2 Environmental precautions:**
Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
No dangerous materials are released.
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions necessary if used correctly.
- **Information about protection against explosions and fires:**
No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**
Do not store together with acids.
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in a cool place.
- **Recommended storage temperature:** 5-25 °C
- **Storage class** 12

(Contd. on page 4)

- IRL -

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version 1.1 (replaces version 1.0)

Revision: 04.07.2023

Trade name: Ozaphan - FHBF Microfilm Fixer

(Contd. of page 3)

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

7681-57-4 disodium disulphite

OEL (Ireland) | Long-term value: 5 mg/m³

· **Additional information:**

The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

· **Breathing equipment:** Not required.

· **Hand protection**

Protective gloves.

The protective gloves to be used must comply with the specifications of the (EU) 2016/425 and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Thickness	Breakthrough time	
	(mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480

Avoid natural rubber gloves.

· **Penetration time of glove material**

Value for permeation: Level \geq 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

(Contd. on page 5)

-IRL-

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version 1.1 (replaces version 1.0)

Revision: 04.07.2023

Trade name: Ozaphan - FHBF Microfilm Fixer

(Contd. of page 4)

Value for the permeation: Level:
 ≥ 3 (60 min)

- **Eye/face protection** Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Fluid
· Colour:	colourless to light yellow
· Odour:	Weak, characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling range	> 100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Decomposition temperature:	Not determined.
· pH at 20 °C	5.4
· Viscosity:	
· Kinematic viscosity	Not determined
· dynamic:	Not determined
· Solubility	
· Water:	miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density and/or relative density	
· Density at 20 °C	1.2 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Solvent content:	
· Water:	~ 45 %
· Change in condition	
· Evaporation rate	Not determined.

(Contd. on page 6)

-IRL-

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version 1.1 (replaces version 1.0)

Revision: 04.07.2023

Trade name: Ozaphan - FHBF Microfilm Fixer

(Contd. of page 5)

Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	49,359 mg/kg
------	------	--------------

- **Skin corrosion/irritation**
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Based on available data, the classification criteria are not met.
Causes serious eye damage.

(Contd. on page 7)

- IRL -

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version 1.1 (replaces version 1.0)

Revision: 04.07.2023

Trade name: Ozaphan - FHBF Microfilm Fixer

(Contd. of page 6)

- **Respiratory or skin sensitisation**
Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
This statement was deduced from the properties of the single components.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Not determined
- **12.2 Persistence and degradability** Not determined
- **Behaviour in environmental systems:** Not determined
- **12.3 Bioaccumulative potential** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Ecotoxicological effects:**
No further relevant information available.
Not determined
- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**
This statement was deduced from the properties of the single components.
Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
At present there are no ecotoxicological assessments.
The product does not contain organically bounded halogens (AOX-free).

IRL

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version 1.1 (replaces version 1.0)

Revision: 04.07.2023

Trade name: Ozaphan - FHBF Microfilm Fixer

(Contd. of page 7)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· **European waste catalogue**

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 05 00	gases in pressure containers and discarded chemicals
16 05 08*	discarded organic chemicals consisting of or containing hazardous substances
HP12	Release of an acute toxic gas

· **Uncleaned packagings:**

· **Recommendation:**

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

EAK-No. 15 01 10

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR/RID, ADN, IMDG, IATA** Void

· **14.2 UN proper shipping name**

· **ADR/RID, ADN, IMDG, IATA** Void

· **14.3 Transport hazard class(es)**

· **ADR/RID, ADN, IMDG, IATA**

· **Class** Void

· **14.4 Packing group**

· **ADR/RID, IMDG, IATA** Void

· **14.5 Environmental hazards:** Not applicable.

· **14.6 Special precautions for user** Not applicable.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **UN "Model Regulation":**

Void

IRL

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version 1.1 (replaces version 1.0)

Revision: 04.07.2023

Trade name: Ozaphan - FHBF Microfilm Fixer

(Contd. of page 8)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
disodium disulphite
- **Hazard statements**
H318 Causes serious eye damage.
- **Precautionary statements**
P280 Wear eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 65

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations**

· **Decree to be applied in case of technical fault:**

Class	Share in %
II	0.5

(Contd. on page 10)

- IRL -

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version 1.1 (replaces version 1.0)

Revision: 04.07.2023

Trade name: Ozaphan - FHBF Microfilm Fixer

(Contd. of page 9)

- **Water hazard class:**
Water hazard class 1 (Self-assessment): weakly water-endangering.
- **15.2 Chemical safety assessment:**
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H302 Harmful if swallowed.
 H318 Causes serious eye damage.
 EUH031 Contact with acids liberates toxic gas.

- **Version number of previous version: 1.0**

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Acute Tox. 4: Acute toxicity – Category 4
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

- **Sources**

applicable EEC directives:
 - 1907/2006
 - 1272/2008

Internal physical tests, MSDS of the ingredients,
 Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>